# DRUG FACTS

Purpose Active ingredient(s)

### Use(s)

temporarily relieves these symptoms due to hay fever or other respiratory allergies:

- runny nose
- · itchy, watery eyes
- sneezing
- · itching of the nose or throat

## Warnings

### Do not use

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

## Ask a doctor before use if you have

## Ask a doctor or pharmacist before use if you are

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product
When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

## If pregnant or breast-feeding

Keep out of reach of children
KEEP OUT OF REACH OF CHILDREN. In case of overdose, get medical help or contact a Poison Control Center right away.

# Directions

1 tablet daily; not more than 1 tablet in 24 hours adults and children 6 years and over

children under 6 years of age ask a doctor consumers with liver or kidney disease ask a doctor

## Other information

## TAMPER EVIDENT; DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING

- see side panel for lot number and expiration date
  store between 20 and 25 degrees C (68 and 77 degrees F)
- protect from excessive moisture

## Inactive ingredients

corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch